



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/621,589	07/17/2003	Jong-Kwon Kim	5000-1-329	2611
33942	7590	02/21/2007		
CHA & REITER, LLC 210 ROUTE 4 EAST STE 103 PARAMUS, NJ 07652			EXAMINER LE, THI Q	
			ART UNIT	PAPER NUMBER
			2613	
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MONTHS		02/21/2007	PAPER	

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

**Office Action Summary**

Application No.

10/621,589

Applicant(s)

KIM ET AL.

Examiner

Thi Q. Le

Art Unit

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 11/27/2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 7,8 and 12-14 is/are allowed.
- 6) ☐ Claim(s) 1,3-6 and 9-11 is/are rejected.
- 7) ☐ Claim(s) 2 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 July 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

### DETAILED ACTION

This Action is in response to Applicant's amendment filed on 11/27/2006. **Claims 1-8** still pending in the present application; while **claims 9-14** were added.

#### *Priority*

1. Acknowledgment is made of applicant's claim for foreign priority under 35 U.S.C. 119(a)-(d).

#### *Information Disclosure Statement*

2. The information disclosure statement (IDS) filed on 7/14/2005 was considered by the examiner.

#### *Claim Rejections - 35 USC § 103*

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 2613

5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 1, 3, 5 and 9-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hidenori et al. (Japanese Publication JP11087815) in view of Shimomura et al. (US PGPub 2003/0048507).

Consider claim 1, Hidenori et al. clearly show and disclose; an optical source generator for wavelength-division-multiplexing optical communication systems, comprising: a pumping-light generation section (read as, excitation light source, 14) configured to generate and output pumping lights (Drawing 1; paragraph 0024); a wavelength-division multiplexer/demultiplexer (read as, Mul/Demul, 12) being provided with one multiplexing port and a plurality of demultiplexing ports being configured to wavelength-division-multiplex and output optical signals inputted into the multiplexing port, and being configured to wavelength-division-demultiplex and output optical signals inputted into the demultiplexing ports (Drawing 1; paragraph 0026); a plurality of wavelength-dependent reflectors (read as, reflective components, 18-1 – 18-n), each being connected to one of the respective demultiplexing ports of the wavelength-division multiplexer/demultiplexer and each being configured to reflect only optical signals that have a particular wavelength that corresponds to one of the respective said demultiplexing ports (Drawing 1; paragraph 0029); and each amplifier being configured to generate spontaneously emitted lights in response to pumping lights generated from the pumping-light generation section (paragraph 0028; drawing 1).

Hidenori et al. fail to disclose, an optical path converter configured to output the pumping lights generated and received from the pumping-light generation section to the multiplexing port of the wavelength-division multiplexer/demultiplexer by converting a path of the pumping lights and to output optical signals outputted from the multiplexing port of the wavelength-division multiplexer/demultiplexer through converted paths for the optical signals; a plurality of optical fiber amplifiers, each having two sides: one side of which being connected to one of the associated wavelength-dependent reflectors; and a plurality of wavelength-independent reflectors, each being connected to the other side of one of the respective optical fiber amplifiers.

It would have been obvious for a person of ordinary skill in the art at the time of the invention to understand that the function of amplifier 10 and reflective component 16 are amplifying optical signal and reflecting incident light in all wavelengths. It would have been a matter of design choice to place the combination of reflective component 16 and amplifier 10 before or after the Mul/Demul 12 and before the reflective component 18-1 – 18-n (looking from left to right); since placing the combination of amplifier 10 and reflective component 16 before or after the Mul/Demul 12 and before the reflective component 18-1 – 18-n, would provide an equivalent functionality and purpose of the invention as disclosed by Hidenori et al. Also, by placing the combination of reflective component 16 and amplifier 10 after the Mul/Demul 12 (i.e. for each output branch of the Mul/Demul 12 the combination of reflective component 16 and amplifier 10 is placed before the reflective component 18-1 – 18-n), the operations of the apparatus disclosed by Hidenori et al. would perform faster, because reflected signal no longer need to be combine and separated for each pass through of the amplifier.

Further, in related art, Shimomura et al. disclose, an optical path converter configured to output the pumping lights generated and received from the pumping-light generation section to the multiplexing port of the wavelength-division multiplexer/demultiplexer by converting a path of the pumping lights and to output optical signals outputted from the multiplexing port of the wavelength-division multiplexer/demultiplexer through converted paths for the optical signals (read as, the optical circulator 60 receive input from optical fiber 110, and directs it to optical fiber 120; which is connected to optical demultiplexer/multiplexer 410; figure 15) (paragraph 0326); and a plurality of optical fiber amplifiers, each having two sides: one side of which being connected to one of the associated wavelength-dependent reflectors (read as, optical amplifier 41 is connected wavelength band selective optical reflecting mirrors 25-28; figure 15, paragraph 0327).

It would have been obvious for a person of ordinary skill in the art at the time of the invention to incorporate the teachings of Shimomura et al. with Hidenori et al. Because adding an optical circulator allow the optical source generator to output two types of optical signals, one that have only one wavelength in the optical signal, and another that have a plurality of wavelengths in the optical signal. Thus, expanding the flexibility and functionality of an optical source generator.

Consider claim 3, and as applied to claim 1 above, Hidenori et al. as modified by Shimomura et al. further disclose; wherein the wavelength-dependent reflectors comprise fiber-Bragg (read as, optical fiber grating) gratings which are each connected respectively to the demultiplexing ports of the wavelength-division multiplexer/demultiplexer (Hidenori et al.; Drawings 1 and 2; paragraph 0048).

Consider **claim 9, and as applied to claim 1 above**, Hidenori et al. as modified by Shimomura et al. further disclose; wherein the optical source generator is configured to output light bidirectionally (read as, the combination of optical circulator as disclosed by Shimomura et al. and the multi-wavelength light source disclosed by Hidenori et al. would have provided an optical light source generator that is can output light bidirectionally; Hidenori, drawing 1; Shimomura, figure 15).

Consider **claim 10, and as applied to claim 1 above**, Hidenori et al. as modified by Shimomura et al. further disclose; wherein each of the wavelength-dependent reflectors is configured to transmit a portion of the optical signals incident upon its surface (read as, the reflectance of reflector element 18-1 – 18-n is less than 100%; which means part of incident light is transmitted while part is reflected; Hidenori, drawing 1 paragraph 0031).

Consider **claim 11, and as applied to claim 1 above**, Hidenori et al. as modified by Shimomura et al. further disclose; wherein each of the wavelength-independent reflectors is configured to transmit a portion of the optical signals incident upon its surface (read as, the reflectance of reflector element 16 is less than 100%; which means part of incident light is transmitted while part is reflected; Hidenori, drawing 1 paragraph 0028).

Consider **claim 5, and as applied to claim 1 above**; Hidenori et al. as modified by Shimomura et al., further disclose; wherein the optical path converter includes an optical circulator (read as, optical circulator, 60; figure 15) comprising: a first port (read as, port connected to fiber 110; figure 15) configured to input pumping lights generated from the pumping-light generation section; a second port (read as, port connected to fiber 120; figure 15) connected to the multiplexing port of the wavelength-division multiplexer/demultiplexer; and, a

third port (read as, port connected to fiber 121; figure 15) configured to output the wavelength-division-multiplexed optical signals (Shimomura et al.; Figure 18; paragraph 0326).

7. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hidenori et al. (Japanese Publication JP11087815) in view of Shimomura et al. (US PGPub 2003/0048507) and further in view of Zhang et al. (US PGPub 2003/0179998).

Consider claim 4, as applied to claim 1 above, Hidenori et al. as modified by Shimomura et al. disclose the invention as described above; except for, wherein the wavelength-dependent reflectors comprise thin film-filter reflectors which are each connected respectively to the demultiplexing ports of the wavelength-division multiplexer/demultiplexer and have respective thin film filters.

In related art, Zhang et al. disclosed in today's all-optical dense wavelength division multiplexing networks, three prevailing types of wavelengths selecting technology are use: 1) Thin Film Filter (TFF) (read as, thin film-filter reflector), (2) Arrayed Waveguide (AWG), and (3) Fiber Bragg Grating (FBG). Currently, TFF technology is the predominant choice when the spacing requirements of the wavelength selective device are greater than 100 GHz. The advantages of TFF-based devices are that they are relatively insensitive to temperature, have minimal cross talk, and provide good isolation between different wavelengths (paragraph 0003).

It would have be obvious to a person of ordinary skill in the art at the time of the invention to incorporate the teachings of Zhang et al. with Hidenori et al. as modified by Kyong et al. and further as modified by Inada et al. Because the advantages of TFF-based devices are that they are relatively insensitive to temperature, have minimal cross talk, and provide good isolation between different wavelengths.



8. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hidenori et al. (Japanese Publication JP11087815) in view of Kyong et al. (Japanese Publication JP08162697) and further in view of Inada et al. (US Patent # 6,920,261) and further in view of Tomaru et al. (US PGPub 2003/0210730).

Consider claim 6, and as applied to claim 1 above, Hidenori et al. as modified by Shimomura et al. disclose the invention as described above; except for, the optical source generator further comprising a plurality of modulators configured to use wavelength-division-multiplexed lights passing through the wavelength-independent reflectors as individual optical sources.

In related art, Tomaru et al. disclosed an optical transmitter; wherein a multi-wavelength solid-state laser output the laser signal. The laser signal is separated into individual wavelengths; the separated wavelengths are feed into individual modulators. Wherein, the wavelengths are modulated with a data signal before transmission (Figure 13; paragraph 0043).

It would have be obvious to a person of ordinary skill in the art at the time of the invention to incorporate the teachings of Tomaru et al with Hidenori et al. as modified by Kyong et al. and further as modified by Inada et al. Since data to be transmitted using WDM need to be first modulated only a wavelength. After producing a multiple separated wavelengths, then there must be a modulator so that data can be modulated into each wavelength for transmission over the WDM optical network.

***Allowable Subject Matter***

9. Claims 7-8, 12-14 are allowed.

10. The following is an examiner's statement of reasons for allowance:

Considering claim 7, prior arts fail to disclose, an optical band pass filter: having two sides: one side being connected to the third port of the optical path converter, the optical band pass filter being configured to pass only the optical source bands; and wherein the optical band pass filter is interposed between the first plurality of wavelength-independent reflectors and the wavelength-independent reflector other than the first plurality of wavelength-independent reflectors..

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance.

11. Claim 2 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

***Conclusion***

12. Any response to this Office Action should be **faxed to (571) 273-8300 or mailed to:**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Hand-delivered responses** should be brought to

Customer Service Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

13. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Thi Le whose telephone number is (571) 270-1104. The Examiner can normally be reached on Monday-Friday from 7:30am to 5:00pm.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Rafael Perez-Gutierrez can be reached on (571) 272-7915. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-3028.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

*Thi Le*

  
KENNETH VANDERPUYE  
SUPERVISORY PATENT EXAMINER